

	Name	Impact Level	K Level	Features and Benefits	Foot Size	Build Height	Weight based on size 26cm inc foot shell	Weight Limit	Warranty	Part Number	Trial Period	Foot Shell
Integrated Spring Technology	Soleus®		K3-K4	<ul style="list-style-type: none"> Efficient energy return Integrated Spring Technology (IST) Polycentric ankle motion Vertical shock absorption Multi-axial compliance Four alternate coloured housing options available Waterproof* 	21-30cm	16.3-19.3cm	667g	100kg (21-24cm) 113kg (25-26cm) 125kg (27-30cm)	3 Years	Refer to Steeper Lower Limb Catalogue Page 42	30 day trial	narrow and wide width C T B J Caucasian, Tan, Brown or Jet Black
	Velocity®		K3-K4	<ul style="list-style-type: none"> Low-profile Integrated Spring Technology (IST) Multi-axial function IntelliWeave® composite to bring maximum strength and flexibility Easily adjustable tuning with three different heel wedges and a toe wedge provided 	25-30cm	12cm (25-26cm) 13.2cm (27-30cm)	631g	113kg (25-26cm) 125kg (27-30cm)	3 Years	Refer to Steeper Lower Limb Catalogue Page 34	No trial period	narrow and wide width C T B J Caucasian, Tan, Brown or Jet Black
Tri-axial	Venture®		K2-K3	<ul style="list-style-type: none"> Tri-axial technology easily adapts to any terrain Energy storing to reduce fatigue Adjustable StrideControl™ - using 4mm hex key to customise the user's gait timing, even with the foot shell on Smooth transition from high to low activities 	21-30cm	6.4-6.9cm (21-24cm) 12.7-13.2cm (25-30cm)	585g	113kg (21-24cm) 125kg (25-30cm)	3 Years	Refer to Steeper Lower Limb Catalogue Page 26	30 day trial	narrow and wide width C T B J Caucasian, Tan, Brown or Jet Black
	Trustep®		K2-K3	<ul style="list-style-type: none"> Tri-axial technology adapts to uneven terrain Bumpers compress the toe and heel at appropriate times whilst providing cushioning and impact absorption Customisable bumpers for optimal control Anatomically designed foot shell with reinforcement Trustep patented Sealing Boot interlocks with the foot shell, keeping debris away from the foot 	22-31cm	8.7cm (Endo IP) 15.2cm (Exo ALX)	678g	136kg (Endo IP) 160kg (Exo ALX)	3 Years (18 months over 136kg)	Refer to Steeper Lower Limb Catalogue Page 22	30 day trial	narrow and wide width C T B J Caucasian, Tan, Brown or Jet Black
	Tribute®		K3	<ul style="list-style-type: none"> Tri-axial technology to adapt to uneven terrain Full range of motion whilst maintaining ground contact Adjustable StrideControl™ Removable foot shell Easy assembly and disassembly with one pin 	21-30cm	6.1cm	502g	100kg	2 Years	Refer to Steeper Lower Limb Catalogue Page 18	30 day trial	standard, narrow and wide width C T B J Caucasian, Tan, Brown or Jet Black
K3	Terrain®		K3-K4	<ul style="list-style-type: none"> Tri-axial motion, a unique method achieving full movement on all three planes A more natural feel due to its anatomical ankle position and pivot point Supported anatomical ankle motion flexible platform for uneven ground compliance and a balanced energy return Waterproof* (fresh water only) 	21-30cm	8.6-9cm	815g	149kg (21-25cm) 166kg (26-30cm)	3 Years	Refer to Steeper Lower Limb Catalogue Page 36	30 day trial	standard width C T B J Caucasian, Tan, Brown or Jet Black
	Orbit®		K3-K4	<ul style="list-style-type: none"> Adjustable torsion with intergrated adapter giving a total rotation range of +/- 20° Effective energy return Low profile design Strong carbon fibre base provides a dynamic response during low to high impact activities Waterproof* (fresh water only) 	21-30cm	9.4cm (21-25cm) 10cm (26-30cm)	895g	150kg	3 Years	Refer to Steeper Lower Limb Catalogue Page 38	30 day trial	standard width C T B J Caucasian, Tan, Brown or Jet Black
Hydraulic	Voyager®		K3-K4	<ul style="list-style-type: none"> Intergrated torsion adapter gives +/- 20° rotation Vertical shock absorption allow for 10mm of movement, reducing impact and socket pressures High level of energy return Up to 150kg patient weight limit** Waterproof* (fresh water only) 	21-30cm	19.1cm	1,320g	125kg (21-25cm) 150kg (26-30cm)	3 Years	Refer to Steeper Lower Limb Catalogue Page 40	30 day trial	standard width C T B J Caucasian, Tan, Brown or Jet Black
	Odyssey® K3		K3	<ul style="list-style-type: none"> Low-profile, curved hydraulic ankle Robust ankle housing combined with a carbon composite keel and angular positioning designed for moderate impact users Easily accessible, independently adjustable hydraulic valves for tuning in clinic 12° of smooth hydraulic motion (3° dorsiflexion, 9° plantarflexion) 	21-30cm	8.6-9.1cm	750g	125kg	3 Years	Refer to Steeper Lower Limb Catalogue Page 32	30 day trial	standard width C T B Caucasian, Tan or Brown
	Odyssey® K2		K2	<ul style="list-style-type: none"> Low profile hydraulic foot/ankle combination Hydraulic ankle increases ground contact throughout stance, enhancing knee stability while acting to reduce socket interface forces IntelliWeave® composite foot base provides controlled energy return and a flexible heel 12° of smooth hydraulic motion 	21-30cm	7.8cm (21-24cm) 8.4cm (25-30cm)	744g	100kg (21-24cm) 136kg (25-30cm)	2 Years	Refer to Steeper Lower Limb Catalogue Page 30	30 day trial	standard width C T B Caucasian, Tan or Brown
K2	Celsus®		K2	<ul style="list-style-type: none"> Integrated spring system and IntelliWeave® technology provides excellent multi-axial movement with a natural centre of rotation; providing ground compliance and increased stability Low profile Removeable foot shell with sandal toe Custom gait matching with pre-installed heel wedge and fulcrum pad to allow precise levels of resistance for maximum comfort 	21-30cm	5.7cm (21-24cm) 6.4cm (25-26cm) 6.6cm (27-30cm)	526g	100kg (21-24cm) 136kg (25-30cm)	3 Years	Refer to Steeper Lower Limb Catalogue Page 16	30 day trial	standard width C T B Caucasian, Tan or Brown
	Trés®		K2	<ul style="list-style-type: none"> Lightweight Natural appearance Integrated foot shell without sock Sandal toe 	21-30cm	6.4cm	403g (24cm) 500g (26cm)	136kg (21-24cm) 150kg (25-30cm)	2 Years	Refer to Steeper Lower Limb Catalogue Page 14	30 day trial	standard width C T B Caucasian, Tan or Brown
Adjustable Heel	Breeze™		K2	<ul style="list-style-type: none"> Low profile IntelliWeave® composite for assisted movement Enviroshell foot shell design aids efficient toe roll-over Removeable foot shell with anti-microbial properties, sandal toe as standard Waterproof* Integrated pyramid 	21-30cm	6.2cm (21-25cm) 6.5cm (26-30cm)	523g (25cm)	100kg (21-25cm) 125kg (26-30cm)	2 Years	Refer to Steeper Lower Limb Catalogue Page 12	30 day trial	standard width C T B Caucasian, Tan or Brown
	Accent® IP		K3	<ul style="list-style-type: none"> User adjustable heel height with up to 5cm range and 13 increments of adjustment Easy to operate height adjustment button located in the ankle, available in a choice of 2 locations - medial or lateral Ankle fairing provides superior cosmetic finishing Suitable for a range of shoe styles 	21-28cm	8.5-9.9cm	608g	100kg (21-24cm) 113kg (25-28cm)	2 Years	Refer to Steeper Lower Limb Catalogue Page 46	30 day trial	narrow and wide width C B Caucasian, or Brown
Stubbies	Accent® DP		K3	<ul style="list-style-type: none"> Integrated dynamic pylon User adjustable heel height with 5cm range Easy to operate height adjustment button Ankle fairing provides superior cosmetic finishing Suitable for a range of shoe styles 	21-28cm	19.8-21.5cm	681g (24cm) 761g (26cm)	100kg (21-24cm) 113kg (25-28cm)	2 Years	Refer to Steeper Lower Limb Catalogue Page 48	30 day trial	narrow and wide width C B Caucasian, or Brown
	Sidekicks®		K2	<ul style="list-style-type: none"> Moulded tread is adhered to the foot with a molecular bond to maximise longevity Additional customisation possible through the use of Stride Control™ and replaceable bumpers Supported anatomical ankle motion and flexible platform for uneven ground compliance Waterproof* (fresh water only) 	One Size	5.8cm	422g	125kg	2 Years	Refer to Steeper Lower Limb Catalogue Page 10	30 day trial	No foot shell
Paediatric	Truper™		K3-K4	<ul style="list-style-type: none"> Versatile finishing capability Sandal toe design allows for a choice of shoes Reduces fatigue and protects the residual limb Adjustable Stride Control to customise child's gait Sealing boot interlocks with the foot shell to prevent any debris from entering the foot 	16-21cm	5.3-6.1cm (Endo IP) 11-11.8cm (Exo ALX)	215g (Size 16) 314g (Size 21)	45g (16-18cm) 60g (19-21cm)	1 Year	Refer to Steeper Lower Limb Catalogue Page 308	30 day trial	standard width C T B Caucasian, Tan or Brown
	Scout®		-	<ul style="list-style-type: none"> Accommodates limb growth with the use of stackable growth plates and size up foot shells Hybrid material for ultimate strength and flexibility Four different mounting options Effective energy return Lightweight Waterproof* (fresh water only) 	13-22cm	-	183-360g	25kg (13-15cm) 45kg (16-18cm) 60kg (19-22cm)	1 Year	Refer to Steeper Lower Limb Catalogue Page 304	30 day trial	standard width C T B Caucasian, Tan or Brown

Shellread Ordering Guide

- = "L" or "R" for Left or Right
- = Colour (N = Neutral, J = Jet Black)
- ▲ = Foot size in cm (21-30)

For part numbers please refer to the Steeper Catalogue

= Waterproof

Following exposure to chlorinated and salt water, rinse immediately with fresh water and dry.

College Park Prosthetic Feet Impact Level Indicator

Low (K1 - K2)
Daily activities include mostly level ground walking, moving around in the home and the community.

Moderate (K2 - K3)
Daily activities include up to unlimited walking, climbing stairs and occasional moderate lifting (this does not include running)

High (K3-K4)
Daily activities include fast walking, jogging, running, lifting heavy objects and/or recreational sports.

K1 - Limited household ambulator
Has the ability or potential to use a prosthesis for transfers or ambulation on level surfaces at fixed cadences.

K2 - Limited community ambulator
Daily activities include up to unlimited walking, climbing stairs and occasional moderate lifting (this does not include running)

K3 - Unlimited community ambulator
Has the ability or potential for ambulation at variable cadences in the community.

K4 - Very active children and athletes
Has the ability or potential for prosthetic ambulation that exceeds basic ambulation skills, exhibiting high impact, stress or energy levels.